



**CARTON STAND BENCH W/ RISER
SHOWN WITH OPTIONAL ACCESSORIES**

ALL-IN-ONE PACKAGING BENCH WITH STEEL TOP

Puts packaging materials within reach. Bench includes a 60"L x 30"W x 34"H corrosion resistant galvanized steel work surface. Carton Stand Bench includes a 60" x 30" lower wire shelf with 6 dividers to help keep cartons neat and organized. Open Leg Bench features a special U brace design to provide ample leg space when seated. Benches with Riser include two 60"L chrome wire shelves. The top shelf is 14"W and the middle shelf is 12"W. All shelves adjust on 1" increments.



OPEN LEG BENCH



CARTON STAND BENCH

ACCESSORIES



**OPEN LEG BENCH W/ RISER
SHOWN WITH
OPTIONAL ACCESSORIES**

PACKAGING BENCH

Description	Model No.
Open Leg Bench	PBO6030
Open Leg Bench with Riser	PBO6030R
Carton Stand Bench	PBC6030
Carton Stand Bench with Riser	PBC6030R

Description	Model No.
Document Holder	AH
Bin Rail (Order bins separately)	BR60
Reel Holder	AR60
Monitor Platform	AMP
6 Outlet Power Center	APC6
Divider - 8" x 14"	AD814C
Ledge - 4" x 60"	AL460C



NOTE: ALL OTHER ITEMS AND ACCESSORIES ARE NOT INCLUDED

PACKAGING WORKSTATION WITH PLASTIC LAMINATE TOP

The large 72"L x 30"W x 1⁵/₈" thick plastic laminate work surface provides ample work space. The large lower shelf is 60"L x 24"W and provides additional storage space. Mounted above the work surface are two 60"L adjustable shelves. The first shelf is 14"W and is shown with optional dividers and ledges to organize packing supplies. The second shelf is 18"W and provides additional storage space and a location to mount an Overhead Light. The Tape Holder/Corrugated Roll Holder option allows for a roll of corrugated paper to be suspended beneath the work surface. The Tape Holder allows multiple rows of tape to be mounted at the back of the work surface. Chrome finish.

Description	Model No.
Packaging Bench-72"L x 32"W x 74"H	PB7232

ACCESSORIES

Description	Model No.
Tape Holder and Corrugated Roll Holder	ACRH
6 Outlet Power Center	APC6
Document Holder	AH
Divider - 8" x 14"	AD814C
Divider - 8" x 18"	AD818C
Ledge - 4" x 48"	AL448C

TECH BENCH RISERS

BASIC RISER - consists of one 14" x 60" chrome shelf, one 12" x 60" chrome cantilever shelf, two 14" chrome posts and two 34" chrome posts.

Model No. **R60143**

PLATFORM ARM - swings computer monitor, electronic instruments or supply bins within view. Extendible for added convenience.

Model No. **AMP**

HANGING BIN RAIL - store and organize parts and tools. 60"L.

Model No. **BR60**

PLASTIC HOPPER FRONT BIN - 4 1/8"W x 4 1/2"D x 3"H. Sold 24 per carton.

Yellow Model No.	Blue Model No.	Red Model No.
PB544Y	PB544B	PB544R

See page 53 for additional sizes.

REEL HOLDER - 60"wide

Model No. **ARH60**

ELECTRIC STRIP - 60"L

Model No. **APC6**



Turn your workbench into a highly effective work, storage and supply center...without using additional floor space. Increase productivity; keep tools and work within reach. Customize this riser to suit your job requirements. All components adjust on 1" increments.

WORK CENTERS

Combine the storage capacity of a 24" x 48" reinforced adjustable wire shelf with a spacious 30" x 60" or 30" x 72" work surface and you have this multi-purpose **WORK CENTER**. Solid work surface makes food preparation, repairs, assembly and product handling easy.

WORK CENTER - Two shelves prevent dust accumulation and maximize visibility. Durable and rust resistant chrome finish. Adjustable floor levelers ensure an even work surface.

Size"	1 3/4" Maple Butcher Block Top	1 1/4" Plastic Top	1 1/2" Tempcore Top
30 x 60 x 34H	B3060M	B3060P	B3060T
30 x 72 x 34H	B3072M	B3072P	B3072T

Extra Shelves: Model No. **S2448C**

MOBILE WORKBENCH - Features a durable work surface, a 24" x 48" shelf and 5" rubber wheel locking swivel casters that increase versatility. Load capacity: 600 lbs.

Size"	1 3/4" Maple Butcher Block Top	1 1/4" Plastic Top	1 1/2" Tempcore Top
30 x 60 x 40H	MB3060M	MB3060P	MB3060T
30 x 72 x 40H	MB3072M	MB3072P	MB3072T

Extra Shelves: Model No. **S2448C**

ADD-A-RISER - Consists of two 54" chrome posts - Model No. **P54C**, four post clamps - Model No. **AC**, and one 12" x 48" cantilever shelf - Model No. **CS1248C**.

CHOOSING A TOP

Maple Butcher Block - This is a great all-purpose top that can handle extreme surface abuse. First it is kiln dried, and the edge is grain laminated for strength. Next it is glued, electronically cured and sanded smooth. Lastly, the maple is finished with a penetrating oil and sealed in a high quality catalyzed varnish.

Plastic Laminate - Super-strong and easy to clean. High pressure plastic laminate-faced wood core can handle heavy abuse and provides smooth, tough working surface for many applications. A cost effective choice.

Tempcore - Protects against static build-up, and is chip, dent and warp resistant. Both sides are covered with a 3/16" thick, high grade hardboard. The core is constructed of a 45 lb. density particleboard blended with clear lumber, which is then sanded smooth and sealed.

TOPS ONLY Size"	1 3/4" Maple Butcher Block Top	1 1/4" Plastic Top	1 1/2" Tempcore Top
30 x 60	BTM630	BTP630	BTT630
30 x 72	BTM730	BTP730	BTT730





Work Centers & Bench Accessories

ELECTRONIC WORKSTATION



BENCH WITH OPTIONAL POWER RISER, WIRE REEL HOLDER, BENCH OUTLET PANEL AND PEDESTAL

Hheavy duty welded steel recessed web panel tubular leg for superior rigidity. 60" x 30" x 34"H work surface features Safety Edge 1³/₄" thick Maple Butcher Block, Plastic Laminate, Safety Edge Anti-Static or Shop Top depending on your requirements. Full width, scuff resistant foot rest. Finished in putty baked enamel.

AAdjustable Platform Arm Clamp Mount supports CRT, oscilloscope, tool bin. 12" deep x 16"H Riser Shelf with Hanging Bin Rail allows easy access to parts. Wire Reel Holder holds up to 6" diameter reels. Locking Storage Pedestal, 15"W x 19"D x 17"H, with Pencil and File Drawer or Pencil or Two Box Drawers. Bring power to top of Riser with Duplex Outlet Electrical Panel.



ANTI-STATIC TOP



Safety Edge
PLASTIC TOP

30" x 60" BENCH	Model No.
Anti-Static Top	WSM3060
Plastic Top	WSP3060
Maple Butcher Block Top	WSS3060
Shop Top	WSA3060



Safety Edge
MAPLE BUTCHER BLOCK TOP



Safety Edge
SHOP TOP

HANGING PLASTIC BINS W" x D" x H"	Red Model No.	Blue Model No.	Yellow Model No.
5 ¹ / ₂ x 11 x 5	PB511R	PB511B	PB511Y
11 x 11 x 5	PB1111R	PB1111B	PB1111Y
16 ¹ / ₂ x 14 ³ / ₄ x 7 (For Platform Arm)	PB1614R	PB1614B	PB1614Y

ACCESSORIES	Model No.
Platform Arm (not shown)	PACM
Wire Reel Holder	WRH
Bench Duplex Outlet Panel	DPO
Pedestal with Pencil and File Holder	WSPFH
Pedestal with Pencil and 2 Box Drawers	WSPBD
Riser Shelf w/Bin Rail	RSBR
Power Center for Riser	PCR



LEGS

Both leg styles feature double electrical knock outs, front and back. Legs are punched for tops, stringers and shelf attachment.

ADJUSTABLE LEGS		
W"	Height"	Model No.
30	27 ⁵ / ₈ -35 ⁵ / ₈	AL30
36	27 ⁵ / ₈ -35 ⁵ / ₈	AL36
FIXED LEGS		
30	28	FL3028
36	28	FL3628
30	32	FL3032
36	32	FL3632

WORK BENCH ACCESSORIES

LOWER SHELF - With 2" Back Stop L" x W"	Model No.
60 x 15	BS6015
72 x 15	BS7215


STRINGER - for all tops except steel Length"	Model No.
60	BS60
72	BS72

Bench Tops



Choose Square Edge or Ergonomic Safety Edge Bench Tops


PLASTIC



Super-strong, easy to clean, high pressure, light gray plastic laminate-faced wood core takes heavy abuse, provides smooth, tough working surface for many applications. Available in two styles 1 1/4", and extra durable 1 5/8" thick.

L" x W"	1 1/4" thick Model No.	1 5/8" thick Model No.
60 x 30	BTP630	BTP630HD
72 x 30	BTP730	BTP730HD
72 x 36	BTP736	BTP736HD

TEMPCORE



Protects against static build up and won't warp or split. Faced two sides with 3/16" high grade hardboard, core is 45lb. density particle board with clear lumber sanded smooth and sealed. 1 1/2" thick.

L" x W"	Model No.
60 x 30	BTT630
72 x 30	BTT730
72 x 36	BTT736


MAPLE



Maple Butcher block is kiln dried, glued electronically, cured and sanded smooth. Finished with a penetrating mineral oil protectant. Available in two styles, standard 1 3/4" or extra strong 2 1/4" thick. You can't buy a better all-purpose top.

L" x W"	1 3/4" thick Model No.	2 1/4" thick Model No.
60 x 30	BTM630	BTM630HD
72 x 30	BTM730	BTM730HD
72 x 36	BTM736	BTM736HD


PLASTIC SAFETY EDGE



High pressure, light gray plastic laminate work surface over a particle board core. Rounded front safety edge helps to provide more comfort for the worker. Plastic work surface is easy to clean and durable for most applications. 1 5/8" thick.

L" x W"	Model No.
60 x 30	BTP630S
72 x 30	BTP730S
72 x 36	BTP736S

Shop Top



Clear lumber edge bands are faced on two sides with 3/8" thick super hard 62 lb. density custom resin board for liquid resistance. Available in two thicknesses, 1 3/4" which has a particle board core, or 2 1/4" thick with a solid hardwood core for extra durability. Both tops come with a rounded safety front edge.

L" x W"	1 3/4" thick Model No.	2 1/4" thick Model No.
60 x 30	BTS630	BTS630HD
72 x 30	BTS730	BTS730HD
72 x 36	BTS736	BTS736HD

MAPLE SAFETY EDGE



Solid maple strips glued together and electronically cured. The top is kiln dried, sanded smooth and finished with a penetrating oil protectant. Rounded front safety edge protects workers from leaning against sharp edges. 1 3/4" thick.

L" x W"	Model No.
60 x 30	BTM630S
72 x 30	BTM730S
72 x 36	BTM736S


ANTI-STATIC



Prevents damage to sensitive electronic circuitry during assembly. White plastic top dissipates 5000 volts of static electricity in .01 seconds. Cleans easily. Complies MIL-B817058 and 101B, Method 4046, 1 1/4" thick.

L" x W"	Model No.
60 x 30	BTA630
72 x 30	BTA730
72 x 36	BTA736

STEEL



Steel 12 gauge top won't crack or buckle. Choose the hardboard steel top for shock absorption and reduce vibrations to equipment. Constructed of 1/8" tempered hardboard bonded to the steel top. Both tops have heavy duty flanged construction and come with stringer to connect bench legs.

L" x W"	Hardboard Model No.	Steel Model No.
60 x 30	BTH630	BTST630
72 x 30	BTH730	BTST730
72 x 36	BTH736	BTST736

ASH



Ash Butcher Block top is kiln dried, sanded smooth and finished with a penetrating oil protectant. A heavy duty, good-looking top at an affordable price. 1 3/4" thick top has rounded front safety edge to protect workers.

L" x W"	Model No.
60 x 30	BT630A
72 x 30	BT730A
72 x 36	BT736A

HEAVY DUTY LAN STATION



SHOWN WITH OPTIONAL ACCESSORIES

Our Heavy-Duty LAN Stations accommodate any LAN environment - no matter how many monitors, servers or printers you have.

These 16 gauge steel-reinforced stations are available in 24", 48", 72", and 96" widths. Each unit features a 30"D work surface to handle even the largest monitors, leaving plenty of workspace. The plastic laminate work surface is 1¹/₈" thick and ideally positioned at 29"H for complete ergonomic support. 24" LAN worksurface and lower shelf support up to 250 lbs. each, 48" LAN up to 500 lbs. each, 72" LAN up to 1000 lbs. each, 96" LAN up to 1500 lbs. each.

Two top shelves (18¹/₄"D) are height adjustable on 2" increments to accommodate various sized LAN equipment. Lower shelf (27"D) is ideal for housing multiple servers. All shelves are 3/4" thick plastic laminate. 24" upper shelves support up to 235 lbs. each, 48"-72" up to 350 lbs. each and up to 500 lbs. each for the 96".

Each unit offers triple-leg support (dual leg on 24" unit) with four lateral braces for added stability. Braces offer built-in cable management. Vertical Cable Management Channels can be added for a complete cable management system. Attaches to any leg and runs the full height of the LAN station. Add casters for easy office mobility. Gray powder coat finish. Assembles easily.

LAN STATION

W" x D" x H"	Model No.
24 x 30 x 74	LS24
48 x 30 x 74	LS30
72 x 30 x 74	LS72
96 x 30 x 74	LS96

ADDITIONAL SHELF

Description	Model No.
24"W Additional Shelf (set of 2)	AS24
48"W Additional Shelf	AS48
72"W Additional Shelf	AS72
Caster Kit with locks (set of 6)	ACK6

OPTIONS TO CUSTOMIZE YOUR LAN STATION



Wire Keyboard Holder. Supports your keyboard on top shelves for easy viewing. Attaches to bottom of shelf.

Model No. **AKH**



Cable Management Channels. Attach to any leg and run the full height of the LAN station. **Sold in sets of 2.**

Model No. **ACMC**



Accessory Shelf. This 8"W x 10"D Shelf is perfect for holding small accessories such as your phone or modem. Attaches to leg of station.

Model No. **AS810**



Keyboard Tray with wrist rest and Mouse Tray. Mounts below the work surface. Both adjust up to 5³/₄", tilts ± 15° and swivels 360°. Slides out of the way when not in use. Mouse Tray can be mounted for left or right hand users.

Description	Model No.
Keyboard Tray	AKDW
Mouse Tray	AMT

PREMIUM HEAVY DUTY LAN STATION

PREMIUM LAN STATIONS come complete with all premium features shown. These new models are designed with ergonomic enhancements and improved equipment accessibility, with the same solid reinforced construction as our standard Heavy-Duty LAN Stations.

The Premier Station is available in 48", 72" and 96" widths, with a 30"D work surface set at 29"H. Each station features ALL of the following:

- **Plastic Laminate Worksurface** provides strong, easy-to clean 1 1/8" thick surface.
- **Two Tilting Monitor Shelves** for adjustable viewing positions with a full-width front lip and back stringer to help protect valuable equipment.
- **Adjustable Keyboard Drawers and Holders** are ergonomically tilted and save on space. 48"W unit includes 1 holder & 2 drawers; 72"W unit includes 2 holders & 3 drawers; 96"W unit includes 2 holders & 4 drawers
- **CPU/Server Roll-out Shelf** is free-standing and provides quick and easy access to equipment. 48"W unit includes one shelf, 72"W unit has two and the 96"W has three.
- **LAN Side Panels** are included with every station providing privacy and equipment safety in open work environments.
- **Caster Base** for mobility. Six total, 3 locking, 3 non-locking.
- **Durable 16 gauge triple-leg support** with lateral braces for added stability.
- **Built-in cable management system** hides wires and organizes cables.
- Gray powder coat finish.



EIA Rack. Rack mount your components onto your station. Choose from two heights and two depths to accommodate any equipment. Fits 24"W or 48" units.

Description	Model No.
3 1/2" H x 4" D EIA Rack	EIA34
7" H x 4" D EIA Rack	EIA74
3 1/2" H x 8" D EIA Rack	EIA38
7" H x 8" D EIA Rack	EIA78



8" Deep Shelves. Designed for light weight components, which don't need the strength of heavy duty shelves. Perfect for tape drives, modems, or video switches. Works with all three stations.

Width"	Model No.
24	AS248
36	AS368



Monitor Angler. places any monitor at an angle for easy viewing. Tilt adjustable. Solid steel construction.

Model No. **AMO**

Electric Power Strip. Includes circuit breaker. 15 amps. 120 volts continuously. UL listed. 6' cord.

Description	Model No.
8 Outlet	AES8
12 Outlet	AES12

Lan Joining Kit. Expand your LAN environment, by adding a LAN Joining Kit to join additional stations together.

Model No. **ASPK**

WIRE LAN WORKSTATION



60" W LAN STATION WITH OPTIONAL KEYBOARD DRAWER, MOUSE TRAY, SHELF LEDGES, DOCUMENT HOLDER AND CASTERS.

COMPLETE MOBILE COMPUTER WORKCENTER



In your facility, office or warehouse, this workcenter rolls wherever you need it and uses minimal space! Two adjustable upper shelves (31½" W x 12"D) easily accommodate computer accessories and supplies. Large 31½" W x 17½" D work surface made of ½" thick stain and scratch resistant lacquered fiberboard. Adjustable height slide-out keyboard/mouse drawer (27" W x 13½" D) and 12" D lower storage shelf. 3" rubber casters (two locking) allow for easy mobility. Entire workcenter is adjustable in 1" increments. Chrome finish.

W" x D" x H"	Model No.
31½ x 24 x 63	CWC3124



Designed to support and consolidate all your Local Area Network (LAN) equipment. This extra strong Workstation features an extra-deep 30", gray laminated work surface to accommodate all your networked computer space needs. Comes complete with four posts and three 18"D wire shelves. 74" high overall. Optional accessories include keyboard drawer, shelf ledges, shelf dividers and document holder. Easy assembly. Attractive chrome-plated finish.

30" W LAN STATION WITH OPTIONAL KEYBOARD DRAWER AND DOCUMENT HOLDER.

Description	Model No.
30" W LAN Workstation	WLS30
60" W LAN Workstation	WLS60
72" W LAN Workstation	WLS72
Shelf Divider 8" high	AD818C
Slide-out Keyboard Shelf 21" W x 11" D	AKD211
Mouse Holder	AMT
Document Holder	AH
Polyurethane Casters (2 with Brakes)	CA55B

LEDGES	Model No.
18"	AL418C
30"	AL430C
60"	AL460C
72"	AL472C

WIRE MANAGEMENT CAGE



Organizes your equipment cables. Easily attaches on 74"H units.

WIRE MANAGEMENT CAGE	Model No.
	AWMC

Open Wire Shelving System has a 1600 lb. capacity for storage of computer equipment, CPU's, monitors, keyboards, etc. No tools necessary, slide shelf over post and clip to lock in place. Shelves adjust in 1" increments. Adjustable floor levelers for irregular surfaces. **Shelving consists of four shelves**, four posts and shelf clips to secure shelf to post. **Printer Shelving** comes with three shelves. **Additional Shelves** also available. Add **4"H Ledges** to front, back or sides of shelves to prevent items from falling. **Add an adjustable wire Keyboard Drawer** with wrist rest to any shelf. Supports keyboards up to 21"W x 11"D. Features a 6" height and ± 9° angle adjustment. **Lock your valuable equipment** with an optional Security Cage. Door flips open for easy access. Easily attaches to 24"D wire shelving in 36" x 48" widths. 21" high. All units are chrome finish except as noted. *Add four polyurethane casters (2 with Brake) to make units Mobile.



SHOWN WITH OPTIONAL DOCUMENT HOLDER, SHELF LEDGES AND CASTERS

LAN WIRE SHELVING



ACCESSORIES

W" x L"	LAN SHELVING	
	63" HIGH 4 Shelf Model No.	74" HIGH 4 Shelf Model No.
18 x 36	18366C	18367C
18 x 48	18486C	18487C
18 x 60	18606C	18607C
24 x 36	24366C	24367C
24 x 48	24486C	24487C
24 x 60	24606C	24607C

PRINTER SHELVING	
L" x W" x H"	Model No.
18 x 24 x 39	PS18243C
18 x 24 x 59	PS18245C

SHELVES	
W" x L"	Model No.
18 x 24	S15242C
18 x 36	S1836C
18 x 48	S1848C
18 x 60	S1860C
24 x 36	S2436C
24 x 48	S2448C
24 x 60	S2460C

POST	
Size"	Model No.
63"	P63C
74"	P74C

Additional shelves in add-on unit need 2 S-Hooks per shelf to be ordered separately.

Model No.	AS
-----------	----

LEDGES	
Size"	Model No.
18	AL418C
24	AL424C
36	AL436C
48	AL448C
60	AL460C

SECURITY CAGE	
W" x L"	Model No.
24 x 36	ASC236
24 x 48	ASC248

KEYBOARD DRAWER	
21"W x 11"D	
Description	Model No.
Chrome	AKD211

CASTERS	
Description	Model No.
5" Polyurethane Casters 2 with Brake (Set of 4)	CA5SB



EIA RACK

EIA Rack holds patch panels, modem racks or any other electronic equipment. 24"W x 18"D x 74"H wire rack includes 2 shelves, 4 posts, and a set of 36"L EIA Rails with 20 cage nuts. Additional shelves, EIA rails and cage nuts are available. Optional wire management cage helps organize your cables.



Description	Model No.
EIA Rack	EIA24
Set Of EIA Rails	EIA36R
Add'l. Shelf	S1824C
Set of 20 Cage Nuts	ACN20
Wire Management Cage	AWMC
6-Outlet Rack Mount Surge Protector	ASP60



SHOWN WITH OPTIONAL DOCUMENT HOLDER AND LEDGES

COMPUTER/INSTRUMENT CART

Transport and store anything from bulky parts to sensitive equipment. Includes non-conductive blue polyethylene shelf liners. Shelves adjust on 1" increments. Shock absorbing 8" pneumatic wheels (two swivel, two rigid) allow easy mobility. Corner bumpers help protect walls. 44" overall height 1200 lb. capacity. Chrome finish.

INSTRUMENT CART

Size"	2 Shelf Model No.	3 Shelf Model No.
24 x 36	IC24362C	IC24363C
24 x 48	IC24482C	IC24483C
24 x 60	IC24602C	IC24603C

LEDGES - 4" HIGH

Size"	Model No.
24	AL424C
36	AL436C
48	AL448C
60	AL460C

DOCUMENT HOLDER

Model	AH

MAIL CART/SERVICE CART

Constructed of 1" tubular chrome finished 18 gauge steel. Accommodates letter or legal size hanging file folders. Chrome finish.



MAIL CART/SERVICE CART

Collect and deliver mail, packages, inventory and tools. **Removable baskets make sorting and loading simple.** File rails included to accommodate hanging files. Carts feature gray non-marring wheels, two 5" dia. polyurethane swivel casters and two 10" semi-pneumatic rear wheels. Cushioned push handle for comfort. **STANDARD CART** has a 25"L x 17 1/4"W x 11"D upper basket and a 25"L x 17 1/4"W x 7 1/2"D lower basket. **DELUXE CART** has a 36"L x 17 1/4"W x 11"D upper basket and a 36"L x 17 1/4"W x 7 1/2"D lower basket.

Description	L" x W" x H"	Model No.
Standard	33 x 24 x 38	SC33243
Deluxe	43 x 24 x 38.	SC43243

MAIL CART with two 4" swivel polyurethane front casters and two 8" hard rubber rear wheels, has a 36" x 16" x 11"H top basket and a 35" x 15 3/4" x 7" lower basket. Chrome finish.

L" x W" x H"	Model No.
44 x 22 x 35	SC16362



EXTRA-DEEP BASKET

COMPUTER WORKSTATION



SHOWN WITH OPTIONAL DOCUMENT HOLDER AND CASTERS

Transport computer and electronic equipment with ease. Choose 34" high or 42" high standing workstation. Open wire design minimizes dust accumulation and maximizes light and air circulation. Three 24"W x 30"L shelves adjust on 1" increments. Sliding keyboard shelf with cushioned wrist rest accepts keyboards up to 21"W x 11"D. 6" height adjustment to ensure a comfortable typing position. Chrome finish. 1200 lb. capacity.

Description	Model No.
3 Tier Unit - 34" High	PS24303C
3 Tier Unit - 42" High	PS24304C
Extra Shelf (24"W x 30"L)	S2430C
Document Holder	AH

OPTIONAL CASTERS - Swivel, 2 with brake		
Description	Capacity	Model No.
2" Dual Wheel	360 lb.	CA2BN4
5" Polyurethane Wheel	1200 lb.	CA5SB

SWIVEL CHAIR

Height Adjustable Seat and Foot Ring

Perfect for use in office, production, shop and computer station. 19¹/₂"W x 16¹/₂"D x 2¹/₂" thick screw adjustable seat. Foot ring adjusts independently on ³/₄" increments from 5¹/₂" to 12³/₄". Contoured 15"W x 10"H x 1¹/₂" thick "floating hinge" back adjusts in or out for complete support. Resilient polyurethane armrests optional. Swivels 360° to reach all your work. Upholstered in vinyl or 100% nylon fabric. Optional 2" hooded ball casters for smooth mobility, increases chair height 2¹/₂".

SWIVEL CHAIR WITHOUT ARMS

Adj. Height	Black Vinyl Model No.	Gray Fabric Model No.
17-22	SC17BK	SC17GY
22-27	SC22BK	SC22GY
27-32	SC27BK	SC27GY

Choose the Arms That Fit Your Needs!

SHOWN WITH HANDLE-BAR ARMS



SWIVEL CHAIR WITH HANDLEBAR ARMS

Adj. Height	Black Vinyl Model No.	Gray Fabric Model No.
17-22	SCB17BK	SCB17GY
22-27	SCB22BK	SCB22GY
27-32	SCB27BK	SCB27GY

SWIVEL CHAIR WITH FIXED ARMS

Adj. Height	Black Vinyl Model No.	Gray Fabric Model No.
17-22	SCF17BK	SCF17GY
22-27	SCF22BK	SCF22GY
27-32	SCF27BK	SCF27GY

SWIVEL CHAIR WITH LOOP ARMS

Adj. Height	Black Vinyl Model No.	Gray Fabric Model No.
17-22	SCL17BK	SCL17GY
22-27	SCL22BK	SCL22GY
27-32	SCL27BK	SCL27GY

SWIVEL CHAIR WITH ADJUSTABLE T-ARMS

Adj. Height	Black Vinyl Model No.	Gray Fabric Model No.
17-22	SCA17BK	SCA17GY
22-27	SCA22BK	SCA22GY
27-32	SCA27BK	SCA27GY



ADJUSTABLE FOOTRING



ADJUSTABLE SEAT HEIGHT

BACK MOVES IN AND OUT FOR PROPER POSITIONING

SHOWN WITH OPTIONAL CASTERS

CASTERS (Set of 5)

Model	CA2BP5
-------	---------------

DYNAMIC DESIGN PNEUMATIC PRODUCTION STOOL

With "Comfort Plus" Footrest

Choose the Arms That Fit Your Needs!

Convenient production stool has a front mounted footrest that moves with the seat when turning or adjusting. Pneumatic height adjusts from 22" -32". Extra large, 17" x 16¹/₂" x 2" thick seat. 15"W x 9³/₄"H back adjusts 4" up or down and 2¹/₂" in or out. Available in Black vinyl or woven gray or blue nylon fabric upholstery. Chrome finished frame. Sturdy 5- blade base. Nylon floor glides. Add optional casters for mobility. Increases chair height 2¹/₂".



LOOP ARMS

BACK MOVES IN AND OUT FOR PROPER POSITIONING

T-ARMS



ADJUSTABLE T-ARMS

FINGERTIP HEIGHT CONTROL

SHOWN WITH OPTIONAL CASTERS

Stool Type	Black Vinyl Model No.	Gray Fabric Model No.	Blue Fabric Model No.
Armless	PS17BK	PS17GY	PS17BL
T-Arms	PS17TBK	PS17TGY	PS17TBL
Loop Arms	PS17LBK	PS17LGY	PS17LBL
Adj. T-Arms	PS17ABK	PS17AGY	PS17ABL
Casters (pkg. of 5)	CA2BP5		

HEIGHT ADJUSTABLE STEEL STOOLS



Hheavy duty 18 gauge x 7/8" tubular steel electrically seam-welded construction assures strength and rigidity. Convenient steel foot ring. Telescoping legs adjust on 1" increments. Choice of 14" steel/hardboard or gray vinyl upholstered seat. Adjustable curved steel or vinyl upholstered backrest. Durable gray baked enamel finish. Sold 2 per package of a model.

A. STEEL HARDBOARD ROUND SEAT WITH BACKREST

Adj. Height"	Model No.
18-27	HBRB18
24-33	HBRB24

B. STEEL HARDBOARD SEAT

Adj. Height"	Model No.
18-27	HB18
24-33	HB24

C. STEEL HARDBOARD SQUARE SEAT WITH BACKREST

Adj. Height"	Model No.
18-27	HBSB18
24-33	HBSB24

D. UPHOLSTERED SEAT AND BACKREST

Adj. Height"	Model No.
18-27	UPSBI8
24-33	UPSBI24

E. UPHOLSTERED SEAT

Adj. Height"	Model No.
18-27	UPS18
24-33	UPS24

COMFORT STOOLS



Extra Thick 5" Seat!

Height Adjusts 19" to 25 1/2"

Stool is ideal for warehouse, factory or machine shop use. Height is manually adjustable from 19" to 25 1/2". Large 14 1/2" diameter 5" thick vinyl seat and adjustable back. 23" diameter chrome foot ring. Four 2" nylon twin wheel casters for mobility.

Description	Black Model No.	Gray Model No.	Blue Model No.
Stool	CS14BK	CS14GY	CS14BL
Stool with Back	CS14BBK	CS14BGY	CS14BBL

ERGONOMIC WORK STAND



LOCK-IN TILT CONTROL
ONE TOUCH ADJUSTMENT

Lets You Sit While Standing!

Ergonomically designed work stand is great when working for long periods of time on machinery or assembly line. Waterfall contour seat allows proper leg circulation. Quality vinyl is bonded to 2" thickly padded seat for durability and comfort. Tilt control knob allows 14" W x 10" D seat to rock with you, or can be locked for stability. 21" to 31" pneumatic height adjustment for easy operator positioning. Five prong 24" molded base has rubber pads for stability.

Model No. **ERGO10**

PLYWOOD SEAT SWIVEL STOOL



Built for Comfort and Durability!

360° Swivel

Large, contoured plywood seat rotates 360° and adjusts easily from 20" to 28". Adjustable 14"W x 6"H back and 15 1/2"W x 14"D contoured waterfall seat with foot ring relieves pressure and reduces lower back fatigue. Heavy gauge, tubular, steel frame. Foot ring raises legs and relieves pressure. Gray baked enamel finish. Optional casters add mobility.

Model No. **PLY15**

Casters (Set of 4) Model **CASR**

NOTE: If rigid or brake style casters are required for your application, order a starter shelving unit and casters separately.



A ccessories, Conductive.....	51	Shelving, Cantilever	15
B in Storage Units	49	Shelving, Heavy Duty	12
Boxes and Bins	50	Shelving, Loadmaster.....	9
Boxes and Bins, Conductive	51	Shelving, Plastic.....	11
C art Covers	30	Shelving, Slant	16
Carts, Computer and Office.....	60	Shelving, Slide Out.....	14
Cart, Utility.....	38-40	Shelving, Solid	10
Casters	31	Shelving, Wall Mount.....	18,19
D olly Base	31	Shelving, Wide Span	26,27
Dunnage Frame	12	Shelving, Wine	17
L AN Stations	56-59	Shelving, Wire	5-8
M erchandisers.....	16,17	Shelving, Wire Bin.....	20,21
P arts and Accessories.....	28,29	Space-Trac, High Density Shelving.....	22,23
Pick Racks and Trucks.....	21	T rucks and Carts, Specialty	43,48
Posts	5	Trucks, Exchange and Linen.....	36,37
R ack, Container.....	12	Trucks, Hand.....	41
Racks, Dunnage.....	13	Trucks, Platform	42
S eating	61,62	Trucks, Solid Steel Shelf	34
Security, Units and Trucks	45-47	Trucks, Tray	35
Shelf, Liners	30	Trucks, Wire Shelf	32,33
Shelving, Types.....	2-4	W ire Containers.....	44
Shelving, Adjustable.....	14	Work Benches and Centers	52-55

**Most Nexel units shown in this catalog can be customized to suit individual requirements.
Check with your Nexel sales representative for details.**

METRIC CONVERSION CHART

INCHES	MM	INCHES	MM	INCHES	MM	INCHES	MM	INCHES	MM	INCHES	MM
1	25	17	432	33	838	49	1245	65	1651	81	2057
2	51	18	457	34	864	50	1270	66	1676	82	2083
3	76	19	483	35	889	51	1295	67	1702	83	2108
4	102	20	508	36	914	52	1321	68	1727	84	2134
5	127	21	533	37	940	53	1346	69	1753	85	2159
6	152	22	559	38	965	54	1372	70	1778	86	2184
7	178	23	584	39	991	55	1397	71	1803	87	2210
8	203	24	610	40	1016	56	1422	72	1829	88	2235
9	229	25	635	41	1041	57	1448	73	1854	89	2261
10	254	26	660	42	1067	58	1473	74	1880	90	2286
11	279	27	686	43	1092	59	1499	75	1905	91	2311
12	305	28	711	44	1118	60	1524	76	1930	92	2337
13	330	29	737	45	1143	61	1549	77	1956	93	2362
14	356	30	762	46	1168	62	1575	78	1981	94	2388
15	381	31	787	47	1194	63	1600	79	2007	95	2413
16	406	32	813	48	1219	64	1626	80	2032	96	2438

**Most Nexel food service products are listed by the National Sanitation Foundation.
For specific items, please consult the latest NSF food service listing.**